

THE EFFECTS OF SEEDPIECE SIZE AND SPACING RELATIONSHIPS
ON THE YIELD AND QUALITY
OF THREE POTATO VARIETIES

A Thesis

Submitted to the Committee on Graduate Studies

by

Cyril Beverley Smith

In Partial Fulfillment of the Requirements

for the Degree of

MASTER OF SCIENCE

THE UNIVERSITY OF MANITOBA

April 1945



ACKNOWLEDGEMENTS

The author is greatly indebted to Dr. S. W. Edgecombe, former Associate Professor of Horticulture, under whose direction these investigations were commenced, and to Prof. E. T. Andersen, Assistant Professor of Horticulture, for their continued encouragement and advice. The cooperation and interest shown by Dr. P. J. Olson, Professor of Plant Science is hereby gratefully acknowledged. Special appreciation is extended to Dr. C. H. Goulden of the Dominion Laboratory of Cereal Breeding, Winnipeg, for advice related to the experimental design and the statistical analysis. Thanks are also due to Mr. H. R. Hikida for valuable assistance in photography.

CONTENTS

	<u>Page</u>
Introduction	1
I <u>The Effects of Seedpiece Size and Spacing Relationships on the Total and Marketable Yields</u>.....	3
Review of Literature	3
(A) Seedpiece Size and Spacing Relationships.....	3
(B) Weight of the Seedpiece.....	6
(C) Comparison of Whole and Cut Seed	8
(D) The Number of Eyes per Seedpiece.....	10
(E) Comparison of Fresh and Suberized Seedpieces.....	11
(F) Comparison of Apical and Basal Seedpieces.....	11
(G) Spacing as Affected by Other Factors.....	13
Current Recommendations for the Canadian Provinces.....	15
Materials and Experimental Procedure.....	18
The Varieties.....	21
The Seedpieces.....	22
The Spacings.....	24
Planting and Summer Care.....	25
Harvesting and Grading.....	25
Experimental Data and Results.....	28
The 1943 Results.....	28
The 1944 Results.....	35
The 1943 and 1944 Combined Results.....	43
Discussion.....	59
The 1943 Results.....	59
The 1944 Results.....	59
The 1943 and 1944 Combined Results.....	60
II <u>The Effects of Seedpiece Size and Spacing Relationships on the Size and Weight of Potato Tops</u>.....	66
III <u>The Effects of Seedpiece Size and Spacing Relationships on Specific Gravity (Quality)</u>.....	69
Introduction.....	69
Experimental Procedure.....	71
Experimental Data and Results.....	71
Summary and Conclusions.....	79
Literature Cited.....	81

INDEX OF TABLES

<u>Number</u>	<u>Title</u>	<u>Page</u>
1	Treatment Means for Warba in 1943.	29
2	Treatment Means for Irish Cobbler in 1943.	30
3	Treatment Means for Katahdin in 1943.	31
4	Analysis of Variance for Total Yields in 1943.	32
5	Analysis of Variance for Marketable Yields in 1943.	32
6	Mean Total and Marketable Yields and Percentages Marketable of Each Variety for Each of the Four Seedpiece Sizes in 1943.	33
7	Mean Total and Marketable Yields and Percentages Marketable of Each Variety for Each of the Four Spacings in 1943.	33
8	Treatment Means for Warba in 1944.	36
9	Treatment Means for Irish Cobbler in 1944.	38
10	Treatment Means for Katahdin in 1944.	39
11	Analysis of Variance for Total Yields in 1944.	40
12	Analysis of Variance for Marketable Yields in 1944.	40
13	Mean Total and Marketable Yields and Percentages Marketable of Each Variety for Each of the Four Seed-piece Sizes in 1944.	41
14	Mean Total and Marketable Yields and Percentages Marketable of Each Variety for Each of the Four Spacings in 1944.	41
15	Treatment Means for Warba in 1943 and 1944 (Combined).	44
16	Treatment Means for Irish Cobbler in 1943 and 1944 (Combined).	46
17	Treatment Means for Katahdin in 1943 and 1944 (Combined).	48
18	Analysis of Variance for Total Yields in 1943 and 1944 (Combined).	50

<u>Number</u>	<u>Title</u>	<u>Page</u>
19	Analysis of Variance for Marketable Yields in 1943 and 1944 (Combined).	51
20	Mean Total and Marketable Yields and Percentages Marketable of Each Variety for Each of the Four Seedpiece Sizes in 1943 and 1944 (Combined).	52
21	Mean Total and Marketable Yields and Percentages Marketable of Each Variety for Each of the Four Spacings in 1943 and 1944 (Combined).	52
22	Winnipeg Weather Records for the Years 1943 and 1944 Compared to Normal.	61
23	The Calculation of "Net Return per Acre" for Warba, Irish Cobbler, and Katahdin.	64
24	The Size and Weight of Potato Tops of Warba for Each of the Sixteen Rates of Planting.	67
25	Specific Gravity Ratings of 50-Tuber Samples from Marketable Yields Produced at Sixteen Different Planting Rates Using the Warba Variety.	72
26	Specific Gravity Ratings of 50-Tuber Samples from Marketable Yields Produced at Sixteen Different Planting Rates Using the Irish Cobbler Variety.	73
27	Specific Gravity Ratings of 50-Tuber Samples from Marketable Yields Produced at Sixteen Different Planting Rates Using the Katahdin Variety.	74
28	The Analysis of Variance for the Data Presented in Tables 25, 26, and 27.	75
29	Mean Specific Gravity Ratings for Marketable Potato Yields Produced from Four Different Sizes of Seedpiece	76
30	Mean Specific Gravity Ratings for Marketable Potato Yields Produced at Four Different Spacings.	76

INDEX OF ILLUSTRATIONS

Page	Figure
19	1 Field Plan Used in 1943 Showing the Complete Hand- mizations.
20	2 Field Plan Used in 1944 Showing the Complete Hand- mizations.
23	3 Photograph Showing the Four Sizes of Seedpiece Used.
23	4 Photographs Showing Three Rates of Planting.
26	5 Diagram Showing Outline of Spacing.
37	6 Photographs Showing the Yields Obtained from Each of the Sixteen Combinations of Seedpiece Size and Spac- ing Used.
45	7 Histograms Illustrating the Total and Marketable Yields of Warba Compared to the Amount of Seed Sown for Each Treatment.
47	8 Histograms Illustrating the Total and Marketable Yields of Irish Cobbler Compared to the Amount of Seed Sown for Each Treatment.
49	9 Histograms Illustrating the Total and Marketable Yields of Katsuhin Compared to the Amount of Seed Sown for Each Treatment.
55	10 Histograms Illustrating the Mean Total and Marketable Yields of the Combined Varieties for Each Spacing and Each Seedpiece Size Compared to the Amount of Seed Sown.
56	11 Photographs Showing the Yields Obtained from Plots Sown with the Four Seedpiece Sizes at a Constant Spacing of 12 inches.
58	12 Photographs Showing the Yields Obtained from Plots Sown with 3-ounce Seedpieces Spaced at 18, 15, 12, and 9 inches.
67	13 Photographs Showing the Size of Tops Produced from a 1- and a 4- ounce Seedpiece 25 Days After Emergence