

THE UNIVERSITY OF MANITOBA

AN "APHIS FABAE" IN MANITOBA WHICH FEEDS ON NASTURTIUM
AND NOT ON FABA BEAN

by

Reta Pearl Annette Barber

A THESIS

SUBMITTED TO THE FACULTY OF GRADUATE STUDIES
IN PARTIAL FULFILLMENT OF THE REQUIREMENTS FOR THE DEGREE
OF MASTER OF SCIENCE

DEPARTMENT OF ENTOMOLOGY

WINNIPEG, MANITOBA

September 1978

AN "APHIS FABAE" IN MANITOBA WHICH FEEDS ON NASTURTIUM
AND NOT ON FABA BEAN

BY

RETA PEARL ANNETTE BARBER

A dissertation submitted to the Faculty of Graduate Studies of
the University of Manitoba in partial fulfillment of the requirements
of the degree of

MASTER OF SCIENCE

© 1979

Permission has been granted to the LIBRARY OF THE UNIVER-
SITY OF MANITOBA to lend or sell copies of this dissertation, of
the NATIONAL LIBRARY OF CANADA to microfilm this
dissertation and to lend or sell copies of the film, and UNIVERSITY
MICROFILMS to publish and abstract of this dissertation.

The author reserves other publication rights, and neither the
dissertation nor extensive extracts from it may be printed or other-
wise reproduced without the author's written permission.

TABLE OF CONTENTS

	PAGE
ABSTRACT	xxxii
ACKNOWLEDGMENTS	xxxiv
CHAPTER	
I. INTRODUCTION	1
Scope of the study	1
II. LITERATURE REVIEW	3
III. MATERIALS AND METHODS	9
Scanning electron microscope	9
Comparison of chromosomes	9
Physiological and ethological studies	9
Life history of <u>Aphis fabae</u>	11
Host plant experiments	15
Conventional taxonomic studies	16
Antennae	18
Cornicles	19
Cauda	19
Sensoria	19
IV. RESULTS AND DISCUSSION OF PHYSIOLOGICAL AND ETHOLOGICAL STUDIES	22
Scanning electron microscope	22
Comparison of chromosomes	23
Host plant experiments	23
V. RESULTS AND DISCUSSION OF CONVENTIONAL TAXONOMY, STATISTICS AND RATIOS	103

	PAGE
VI. SUMMARY AND CONCLUSIONS	139
BIBLIOGRAPHY	144

ILLUSTRATIONS

FIGURE		PAGE
1.	Life cycle of the black bean aphid, <u>Aphis fabae</u>	14
2.	External features of aphid forms. A-dorsal view of alate viviparous female. B-dorsal view of apterous viviparous female. C-lateral view of mouthparts. D-lateral view of the end of the abdomen.	17

LIST OF TABLES

TABLE		PAGE
I	List of the plants tested in the laboratory and field by six aphid cultures	21
II	Successful development or failure to establish and develop among six aphid cultures by adult apterous viviparous females caged singly on the leaves of various host plants in the laboratory and field, ten aphids tested from each culture	25
III	Nymphal development time, prelarviposition period, mean fecundity during first five days of adult life, mean total fecundity, and physiological development time in "day-degrees" for ten apterous viviparous female aphids from culture Man. reared singly on leaves of nasturtium, in the laboratory .	26
IV	Nymphal development time, prelarviposition period, mean fecundity during first five days of adult life, mean total fecundity, and physiological development time in "day-degrees," for ten apterous viviparous female aphids from culture NB-B reared singly on leaves of nasturtium, in the laboratory .	27
V	Nymphal development time, prelarviposition	

TABLE

PAGE

	period, mean fecundity during first five days of adult life, mean total fecundity, and physiological development time in "day-degrees," for ten apterous viviparous female aphids from culture P-E reared singly on leaves of nasturtium, in the laboratory. .	28
VI	Nymphal development time, prelarviposition period, mean fecundity during first five days of adult life, mean total fecundity, and physiological development time in "day-degrees," for ten apterous viviparous female aphids from culture BC Lab reared singly on leaves of faba bean, in the laboratory. .	29
VII	Nymphal development time, prelarviposition period, mean fecundity during first five days of adult life, mean total fecundity, physiological development time in "day-degrees," for ten apterous viviparous female aphids from culture BC Wild reared on leaves of faba bean, in the laboratory.	30
VIII	Nymphal development time, prelarviposition period, mean fecundity during first five days of adult life, mean total fecundity, physiological development time in "day-	

TABLE

PAGE

	degrees," for ten apterous viviparous female aphids from culture NB-A reared singly on leaves of faba bean, in the laboratory.	31
IX	Nymphal development time, prelarviposition period, mean fecundity during first five days of adult life, mean total fecundity, and physiological development time in "day-degrees," for ten apterous viviparous female aphids from culture Man. reared singly on nasturtium leaves in the field.	32
X	Nymphal development time, prelarviposition period, mean fecundity during first five days of adult life, mean total fecundity, and physiological development time in "day-degrees," for ten apterous viviparous female aphids from laboratory culture NB-B reared singly on leaves of nasturtium in the field.	33
XI	Nymphal development time, prelarviposition period, mean fecundity during first five days of adult life, mean total fecundity, and physiological development time in "day-degrees," for ten apterous viviparous female aphids from laborature culture P-E reared singly on leaves of nasturtium in	

TABLE	PAGE
	the field. 34
XII	Nymphal development time, prelarviposition period, mean fecundity during first five days of adult life, mean total fecundity, and physiological development time in "day-degrees," for ten apterous viviparous female aphids from laboratory culture BC Lab reared singly on faba bean leaves in the field. 35
XIII	Nymphal development time, prelarviposition period, mean fecundity during first five days of adult life, mean total fecundity, and physiological development time in "day-degrees," for ten apterous viviparous female aphids from laboratory culture NB-A reared singly on faba bean leaves in the field. 36
XIV	Summary of observations on nymphal development time, prelarviposition period, mean fecundity during first five days of adult life, mean total fecundity and physiological development time in "day-degrees," for six aphid cultures on either nasturtium or faba bean, in laboratory or field. 37

TABLE

PAGE

XV Days of adult life, mean length of adult life, mean fecundity per aphid, mean reproductive period and mean length of a generation in "day-degrees" (time taken for an aphid to produce half its offspring), for ten apterous viviparous female aphids from culture Man. reared singly on nasturtium leaves, in the laboratory. 40

XVI Days of adult life, mean length of adult life, mean fecundity per aphid, mean reproductive period and mean length of a generation in "day-degrees" (time taken for an aphid to produce half its offspring), for ten apterous viviparous female aphids from culture NB-B reared singly on nasturtium leaves, in the laboratory. 41

XVII Days of adult life, mean length of adult life, mean fecundity per aphid, mean reproductive period and mean length of a generation in "day-degrees" (time taken for an aphid to produce half its offspring), for ten apterous viviparous female aphids from culture P-E reared singly on nasturtium leaves, in the laboratory. 42

XVIII	Days of adult life, mean length of adult life, mean fecundity per aphid, mean reproductive period and mean length of a generation in "day-degrees" (time taken for an aphid to produce half its offspring), for ten apterous viviparous female aphids from culture BC Lab reared singly on faba bean leaves, in the laboratory.	43
XIX	Days of adult life, mean length of adult life, mean fecundity per aphid, mean reproductive period and mean length of a generation in "day-degrees" (time taken for an aphid to produce half its offspring), for ten apterous viviparous female aphids from culture BC Wild reared singly on faba bean leaves, in the laboratory.	44
XX	Days of adult life, mean length of adult life, mean fecundity per aphid, mean reproductive period and mean length of a generation in "day-degrees" (time taken for an aphid to produce half its offspring), for ten apterous viviparous female aphids from culture NB-A reared singly on faba bean leaves, in the laboratory.	45

TABLE

PAGE

XXI	Days of adult life, mean length of adult life, mean fecundity per aphid, mean reproductive period and mean length of a generation in "day-degrees" (time taken for an aphid to produce half its offspring), for ten apterous viviparous female aphids from culture Man. reared singly on faba bean leaves, in the field.	46
XXII	Days of adult life, mean length of adult life, mean fecundity per aphid, mean reproductive period and mean length of a generation in "day-degrees" (time taken for an aphid to produce half its offspring), for ten apterous viviparous female aphids from culture NB-B reared singly on faba bean leaves, in the field.	47
XXIII	Days of adult life, mean length of adult life, mean fecundity per aphid, mean reproductive period and mean length of a generation in "day-degrees" (time taken for an aphid to produce half its offspring), for ten apterous viviparous female aphids from culture P-E reared singly on faba bean leaves, in the field.	48

TABLE	PAGE	
XXIV	Days of adult life, mean length of adult life, mean fecundity per aphid, mean reproductive period and mean length of a generation in "day-degrees" (time taken for an aphid to produce half its offspring), for ten apterous viviparous female aphids from culture BC Lab reared singly on faba bean leaves, in the field.	49
XXV	Days of adult life, mean length of adult life, mean fecundity per aphid, mean reproductive period and mean length of a generation in "day-degrees" (time taken for an aphid to produce half its offspring), for ten apterous viviparous female aphids from culture NB-A reared singly on faba bean leaves in the field.	50
XXVI	Summary of observations on mean length of adult life, mean reproductive period and mean length of a generation in day-degrees for six aphid cultures on either nasturtium or faba bean, in laboratory or field. . .	51
XXVII	Days of adult life, mean length of adult life, mean fecundity per aphid, mean reproductive period and mean length of a generation in	

TABLE

PAGE

"day-degrees" (time taken for an aphid to produce half its offspring), for ten apterous viviparous female aphids from laboratory culture NB-B reared singly on burdock leaves in the field. 53

XXVIII Days of adult life, mean length of adult life, mean fecundity per aphid, mean reproductive period and mean length of a generation in "day-degrees" (time taken for an aphid to produce half its offspring), for ten apterous viviparous female aphids from culture P-E reared singly on burdock leaves in the field. 54

XXIX Days of adult life, mean length of adult life, mean fecundity per aphid, mean reproductive period, and mean length of a generation in "day-degrees" (time taken for an aphid to produce half its offspring), for ten apterous viviparous female aphids from laboratory culture BC Lab, reared singly on burdock leaves in the field. 55

XXX Days of adult life, mean length of adult life, mean fecundity per aphid, mean reproductive period, and mean length of a generation in

TABLE	PAGE
<p>"day-degrees" (time taken for an aphid to produce half its offspring), for ten apterous viviparous female aphids from laboratory culture NB-A reared singly on burdock leaves in the field.</p>	56
<p>XXXI Days of adult life, mean length of adult life, mean fecundity per aphid, mean reproductive period and mean length of life of a generation in "day-degrees" (time taken for an aphid to produce half its offspring), for ten apterous viviparous female aphids from laboratory culture NB-A reared singly on poppy leaves in the field.</p>	57
<p>XXXII Days of adult life, mean length of adult life, mean fecundity per aphid, mean reproductive period and mean length of a generation in "day-degrees" (time taken for an aphid to produce half its offspring), for ten apterous viviparous female aphids from laboratory culture NB-B reared singly on tuberous dahlia leaves in the field.</p>	58
<p>XXXIII Days of adult life, mean length of adult life, mean fecundity per aphid, mean reproductive period and mean length of a generation in</p>	

"day-degrees" (time taken for an aphid to produce half its offspring), for ten apterous viviparous female aphids from laboratory culture P-E reared singly on potato leaves in the field. 59

XXXIV Days of adult life, mean length of adult life, mean fecundity per aphid, mean reproductive period and mean length of a generation in "day-degrees" (time taken for an aphid to produce half its offspring), for ten apterous viviparous female aphids from laboratory culture Man., reared singly on rhubarb leaves in the field. 60

XXXV Days of adult life, mean length of adult life, mean fecundity per aphid, mean reproductive period and mean length of a generation in "day-degrees" (time taken by an aphid to produce half its offspring), for ten apterous viviparous female aphids from laboratory culture NB-B reared singly on rhubarb leaves in the field. 61

XXXVI Days of adult life, mean length of adult life, mean fecundity per aphid, mean reproductive period and mean length of a generation in

TABLE

PAGE

"day-degrees" (time taken by an aphid to produce half its offspring), for ten apterous viviparous female aphids from laboratory culture P-E reared singly on leaves of chia in the field. 62

XXXVII Mean length of adult life, mean fecundity during first five days of adult life, mean reproductive period, and mean length of a generation in day-degrees of some aphid cultures on some host plants, field tests in 1977. 63

XXXVIII Prelarviposition period, mean fecundity during first five days of adult life, mean total fecundity, mean reproductive period and mean length of a generation in "day-degrees" for ten apterous viviparous female aphids from laboratory culture Man. reared singly on leaves of the spindle tree. 65

XXXIX Prelarviposition period, mean fecundity during first five days of adult life, mean total fecundity, mean reproductive period and mean length of a generation in "day-degrees" for ten apterous viviparous female aphids from laboratory culture NB-B reared singly on leaves of the spindle tree. 66

XL	Prelarviposition period, mean fecundity during first five days of adult life, mean total fecundity, mean reproductive period, and mean length of a generation in "day-degrees" for ten apterous viviparous female aphids from laboratory culture P-E reared singly on leaves of the spindle tree.	67
XLI	Prelarviposition period, mean fecundity during first five days of adult life, mean total fecundity, mean reproductive period, and mean length of a generation in "day-degrees" for ten apterous viviparous female aphids from laboratory culture BC Lab reared singly on leaves of the spindle tree.	68
XLII	Prelarviposition period, mean fecundity during first five days of adult life, mean total fecundity, mean reproductive period and mean length of a generation in "day-degrees" for ten apterous viviparous female aphids from laboratory culture BC Wild reared singly on leaves of the spindle tree.	69
XLIII	Prelarviposition period, mean fecundity during first five days of adult life, mean total fecundity, mean reproductive period and mean length of a generation in "day-degrees" for	

TABLE	PAGE
	ten apterous viviparous female aphids from laboratory culture NB-A reared singly on leaves of the spindle tree. 70
XLIV	Prelarviposition period, mean fecundity during first five days of adult life, mean total fecundity, mean reproductive period and mean length of a generation in "day-degrees" for ten apterous viviparous female aphids from laboratory culture Man. reared singly on leaves of Mockorange. 71
XLV	Prelarviposition period, mean fecundity during first five days of adult life, mean total fecundity, mean reproductive period and mean length of a generation in "day-degrees" for ten apterous viviparous female aphids from laboratory culture Man. reared singly on leaves of highbush cranberry. 72
XLVI	Prelarviposition period, mean fecundity during first five days of adult life, mean total fecundity, mean reproductive period and mean length of a generation in "day-degrees" for ten apterous viviparous female aphids from laboratory culture Man. reared singly on leaves of burdock 73

TABLE	PAGE
XLVII Prelarviposition period, mean fecundity during first five days of adult life, mean total fecundity, mean reproductive period and mean length of a generation in "day-degrees" for ten apterous viviparous female aphids from laboratory culture NB-B reared singly on leaves of burdock	74
XLVIII Prelarviposition period, mean fecundity during first five days of adult life, mean total fecundity, mean reproductive period and mean length of a generation in "day-degrees" for ten apterous viviparous female aphids from laboratory culture NB-A reared singly on leaves of burdock	75
XLIX Prelarviposition period, mean fecundity during first five days of adult life, mean total fecundity, mean reproductive period and mean length of a generation in "day-degrees" for ten apterous viviparous female aphids from laboratory culture NB-A reared singly on leaves of poppy.	76
L Prelarviposition period, mean fecundity during first five days of adult life, mean total fecundity, mean reproductive period and mean length of a generation in "day-degrees"	

TABLE

PAGE

	for ten apterous viviparous female aphids from laboratory culture NB-B reared singly on leaves of tuberous dahlia.	77
LI	Prelarviposition period, mean fecundity during first five days of adult life, mean total fecundity, mean reproductive period and mean length of a generation in "day-degrees" for ten apterous viviparous female aphids from laboratory culture BC Wild reared singly on leaves of green garden beans.	78
LII	Prelarviposition period, mean fecundity during first five days of adult life, mean total fecundity, mean reproductive period and mean length of a generation in "day-degrees" for ten apterous viviparous female aphids from laboratory culture NB-A reared singly on leaves of green garden beans.	79
LIII	Prelarviposition period, mean fecundity during first five days of adult life, mean total fecundity, mean reproductive period, and mean length of a generation in "day-degrees" for ten apterous viviparous female aphids from laboratory culture NB-A reared singly on leaves of yellow garden beans.	80

TABLE

PAGE

LIV	Prelarviposition period, mean fecundity during first five days of adult life, mean total fecundity, mean reproductive period, and mean length of a generation in "day-degrees" for ten apterous viviparous female aphids from laboratory culture BC Lab reared singly on leaves of yellow garden beans.	81
LV	Prelarviposition period, mean fecundity during first five days of adult life, mean total fecundity, mean reproductive period and mean length of a generation in "day-degrees" for ten apterous viviparous female aphids from laboratory culture NB-A reared singly on leaves of scarlet runner bean.	82
LVI	Prelarviposition period, mean fecundity during first five days of adult life, mean total fecundity, mean reproductive period and mean length of a generation in "day-degrees" for ten apterous viviparous female aphids from laboratory culture BC Lab reared singly on leaves of scarlet runner bean.	83
LVII	Prelarviposition period, mean fecundity during first five days of adult life, mean total fecundity, mean reproductive period and mean length of a generation in "day-degrees"	

TABLE	PAGE
	84
LVIII	85
LIX	86
LX	87

TABLE

PAGE

LXI Prelarviposition period, mean fecundity during first five days of adult life, mean total fecundity, mean reproductive period, and mean length of a generation in "day-degrees" for ten apterous viviparous female aphids from laboratory culture NB-A reared singly on leaves of garden pea. 88

LXII Prelarviposition period, mean fecundity during first five days of adult life, mean total fecundity, mean reproductive period and mean length of a generation in "day-degrees" for ten apterous viviparous female aphids from laboratory culture Man. reared singly on leaves of potato - Netted Gem. 89

LXIII Prelarviposition period, mean fecundity during first five days of adult life, mean total fecundity, mean reproductive period and mean length of a generation in "day-degrees" for ten apterous viviparous female aphids from laboratory culture P-E reared singly on leaves of potato - Netted Gem. 90

LXIV Prelarviposition period, mean fecundity during first five days of adult life, mean total fecundity, mean reproductive period and mean length of a generation in "day-degrees"

TABLE

PAGE

	for ten apterous viviparous female aphids from laboratory culture Man. reared singly on leaves of potato - Pontiac.	91
LXV	Prelarviposition period, mean fecundity during first five days of adult life, mean total fecundity, mean reproductive period and mean length of a generation in "day-degrees" for ten apterous viviparous female aphids from laboratory culture P-E reared singly on leaves of potato - Pontiac.	92
LXVI	Prelarviposition period, mean fecundity during first five days of adult life, mean total fecundity, mean reproductive period and mean length of a generation in "day-degrees" for ten apterous viviparous female aphids from laboratory culture NB-A reared singly on leaves of Swiss chard.	93
LXVII	Prelarviposition period, mean fecundity during first five days of adult life, mean total fecundity, mean reproductive period and mean length of a generation in "day-degrees" for ten apterous viviparous female aphids from laboratory culture NB-A reared singly on leaves of beet.	94

TABLE	PAGE	
LXVIII	Prelarviposition period, mean fecundity during first five days of adult life, mean total fecundity, mean reproductive period and mean length of a generation in "day-degrees" for ten apterous viviparous female aphids from laboratory culture NB-A reared singly on leaves of spinach.	95
LXIX	Prelarviposition period, mean fecundity during first five days of adult life, mean total fecundity, mean reproductive period and mean length of a generation in "day-degrees" of ten apterous viviparous females of six cultures of aphids reared singly in the laboratory on leaves of the spindle tree. . .	96
LXX	Prelarviposition period, mean fecundity during first five days of adult life, mean total fecundity, mean reproductive period and mean length of a generation in "day-degrees" of ten apterous viviparous females of three cultures of aphids reared singly in the laboratory on leaves of miscellaneous host plants.	97
LXXI	Prelarviposition period, mean fecundity during first five days of adult life, mean total	

TABLE

PAGE

fecundity, mean reproductive period and mean length of a generation in "day-degrees" of ten apterous viviparous females of three cultures of aphids reared singly in the laboratory on leaves of miscellaneous host plants. 98

LXXII Comparisons among range, mean and 95% confidence interval of body length measurements of ten apterous and alate viviparous female aphids from each of the six laboratory cultures. 105

LXXIII Comparisons among range, mean and 95% confidence interval of cauda length measurements of ten apterous and alate viviparous female aphids from each of the six laboratory cultures. 106

LXXIV Comparisons among range, mean and 95% confidence interval of cauda hair numbers from ten apterous and alate viviparous female aphids from each of the six laboratory cultures. 107

LXXV Comparisons among range, mean and 95% confidence interval of cornicle length measurements of ten apterous and alate viviparous

TABLE	PAGE
	female aphids from each of the six laboratory cultures. 108
LXXVI	Comparisons among range, mean and 95% confidence interval of antennal segment III measurements of ten apterous and alate viviparous female aphids from each of the six laboratory cultures. 109
LXXVII	Comparisons among range, mean and 95% confidence interval of antennal segment IV measurements of ten apterous and alate viviparous female aphids from each of the six laboratory cultures. 110
LXXVIII	Comparisons among range, mean and 95% confidence interval of antennal segment V measurements of ten apterous and alate viviparous female aphids from each of the six laboratory cultures. 111
LXXIX	Comparisons among range, mean and 95% confidence interval of antennal segment VI (base) measurements of ten apterous and alate viviparous female aphids from each of the six laboratory cultures. 112
LXXX	Comparisons among range, mean and 95% confidence interval of antennal segment VI (unguis) measurements of ten apterous and alate vivi-

TABLE	PAGE
	parous female aphids from each of the six laboratory cultures. 113
LXXXI	Comparisons among range, mean and 95% confi- dence interval of antennal III hair length measurements of ten apterous and alate vivi- parous female aphids from each of the six laboratory cultures. 114
LXXXII	Comparisons among range, mean and 95% confi- dence interval of the number of secondary sensoria on antennal segment III of ten alate viviparous female aphids from each of the six laboratory cultures. 115
LXXXIII	Comparisons among range, mean and 95% confi- dence interval of the number of secondary sensoria on antennal segment IV of ten alate viviparous female aphids from each of the six laboratory cultures. 116
LXXXIV	Comparisons among range, mean and 95% confi- dence interval of the number of secondary sensoria on antennal segment V of ten alate viviparous female aphids from each of the six laboratory cultures. 117
LXXXV	Comparisons among range, mean and 95% confi- dence interval of rostral IV + V measure- ments of ten apterous and alate viviparous

TABLE	PAGE
	female aphids from each of the six laboratory cultures. 118
LXXXVI	Comparisons among range, mean and 95% confidence interval of the length of the hind tibia of ten apterous and alate viviparous female aphids from each of the six laboratory cultures. 119
LXXXVII	Comparisons among range, mean and 95% confidence interval of hind tarsal II measurements of ten apterous and alate viviparous female aphids from each of the six laboratory cultures. 120
LXXXVIII	Frequency distribution of the ratios of $\frac{\text{length of antennal segment IV}}{\text{length of antennal segment III}}$ for ten apterous viviparous female aphids from each of the six laboratory cultures. . . . 121
LXXXIX	Frequency distributions of the ratios of $\frac{\text{length of segment V}}{\text{length of segment III}}$ for ten apterous viviparous female aphids from each of the six laboratory cultures. 122
XC	Frequency distributions of the ratios of $\frac{\text{length of base antennal segment VI}}{\text{length of segment III}}$ for ten apterous viviparous female aphids from

TABLE	PAGE
	each of the six laboratory cultures. . . . 123
XCI	Frequency distributions of the ratios of $\frac{\text{length of unguis segment VI}}{\text{length of segment III}}$ for ten apterous viviparous female aphids from each of the six laboratory cultures. 124
XCII	Frequency distributions of the ratios of $\frac{\text{length of segment IV}}{\text{length of segment III}}$ for ten alate viviparous female aphids from each of the six laboratory cultures. 125
XCIII	Frequency distributions of the ratios of $\frac{\text{length of segment V}}{\text{length of segment III}}$ for ten alate viviparous female aphids from each of the six laboratory cultures. 126
XCIV	Frequency distributions of the ratios of $\frac{\text{length of base of antennal segment VI}}{\text{length of segment III}}$ for ten alate viviparous female aphids from each of the six laboratory cultures. . . . 127
XCV	Frequency distribution of the ratios of $\frac{\text{length of unguis segment VI}}{\text{length of segment III}}$ for ten alate viviparous female aphids from each of the six laboratory cultures. 128
XCVI	Frequency distributions of the ratio

	$\frac{\text{length of cauda}}{\text{length of antennal segment III}}$ in ten apterous viviparous female aphids from each of the six laboratory cultures.	129
XCVII	Frequency distributions of the ratio $\frac{\text{length of cauda}}{\text{length of antennal segment III}}$ in ten alate viviparous female aphids from each of the six laboratory cultures.	130
XCVIII	Frequency distributions of the ratio $\frac{\text{length of cauda}}{\text{mean length of cornicles}}$ in ten apterous viviparous female aphids from each of the six laboratory cultures.	131
XCIX	Frequency distributions of the ratio $\frac{\text{length of cauda}}{\text{mean length of cornicles}}$ in ten alate viviparous female aphids from each of the six laboratory cultures.	132
C	Frequency distributions of the ratio $\frac{\text{cornicle length}}{\text{length of antennal segment III}}$ in ten apterous viviparous female aphids from each of the six laboratory cultures.	133
CI	Frequency distributions of the ratio $\frac{\text{cornicle length}}{\text{length of antennal segment III}}$ in ten alate viviparous female aphids from each of the	

TABLE		PAGE
	six laboratory cultures.	134
CII	Frequency distributions of the secondary sensoria on antennal segment III in ten alate viviparous female aphids from each of the six laboratory cultures.	135