

The Effect of Pulse Crop Rotation and Controlled-Release Urea on the Nitrogen
Accumulation and End-Use Quality of Canada Western Red Spring Wheat

BY

DAVID WILLIAM ANDREW PRZEDNOWEK

A Thesis
Submitted to the Faculty of Graduate Studies
In Partial Fulfillment of the Requirements
For the Degree of

MASTER OF SCIENCE

Department of Plant Science
University of Manitoba
Winnipeg, Manitoba

© Copyright by David William Andrew Przednowek 2003

THE UNIVERSITY OF MANITOBA
FACULTY OF GRADUATE STUDIES

COPYRIGHT PERMISSION PAGE

THE EFFECT OF PULSE CROP ROTATION AND CONTROLLED-RELEASED UREA ON
THE NITROGEN ACCUMULATION AND END-USE QUALITY OF
CANADA WESTERN RED SPRING WHEAT

BY

DAVID WILLIAM ANDREW PRZEDNOWEK

A Thesis/Practicum submitted to the Faculty of Graduate Studies of The University
of Manitoba in partial fulfillment of the requirements of the degree
of
Master of Science

DAVID WILLIAM ANDREW PRZEDNOWEK © 2003

Permission has been granted to the Library of The University of Manitoba to lend or sell copies of this thesis/practicum, to the National Library of Canada to microfilm this thesis and to lend or sell copies of the film, and to University Microfilm Inc. to publish an abstract of this thesis/practicum.

The author reserves other publication rights, and neither this thesis/practicum nor extensive extracts from it may be printed or otherwise reproduced without the author's written permission.

TABLE OF CONTENTS

	Page
ACKNOWLEDGMENTS.....	ii
LIST OF TABLES.....	iv
LIST OF FIGURES.....	xxiii
ABSTRACT.....	xxxii
FOREWARD.....	xxxiv
1.0 INTRODUCTION.....	1
1.1 Objectives.....	5
2.0 LITERATURE REVIEW.....	6
2.1 Importance of Soil Nitrogen to Crop Productivity.....	6
2.2 Major Forms of Nitrogen in the Soil.....	7
2.2.1 Nitrate Nitrogen.....	7
2.2.2 Ammonium Nitrogen.....	8
2.3 Nitrogen Supplying Power of Soils.....	9
2.3.1 Residual Inorganic Soil Nitrogen.....	9
2.3.1.1 Effect of Water Use Pattern of Previous Crop on Residual Soil Nitrogen..	10
2.3.1.2 Effect of Moisture Availability on Wheat Rooting Depth.....	11
2.3.1.3 Effect of Soil Nitrogen Availability on Wheat Rooting Depth.....	11
2.3.2 Nitrogen Mineralization.....	12
2.3.2.1 Effect of Temperature on Mineralization.....	13
2.3.2.2 Effect of Soil Moisture on Mineralization.....	13
2.3.2.3 Effect of Substrate Availability and Quality on Mineralization.....	14
2.3.2.4 Crop Residue Quality and Placement.....	15
2.3.2.5 Nitrogen in Microbial Biomass.....	16
2.3.3 Fertilizer Nitrogen.....	17
2.3.3.1 Urea.....	17
2.3.3.2 Ammonium Nitrate.....	18
2.3.3.3 Nitrogen Use Efficiency.....	19
2.4 Physiological Aspects of Nitrogen Uptake.....	19
2.5 Pattern, Rate, and Duration of Dry Matter Production and Nitrogen Uptake.....	21
2.6 Factors Affecting Nitrogen Uptake.....	22
2.6.1 Effect of Dry Matter Production on Nitrogen Uptake.....	23
2.6.2 Effect of Soil Moisture Availability on Nitrogen Uptake.....	24
2.6.3 Effect of Temperature on Nitrogen Uptake.....	25

2.7	Effect of Crop Management Practices on Nitrogen Availability and Uptake. . . .	26
2.7.1	General Effects of Annual Legumes on Wheat Yield, Nitrogen Availability and Nitrogen Uptake.	26
2.7.2	Nitrogen and Non-Nitrogen Benefits of Annual Legumes.	27
2.7.3	Direct Nitrogen Benefits of Annual Legumes.	28
2.7.3.1	Nitrogen Fixation.	28
2.7.3.2	Nitrogen in Crop Residues.	29
2.7.4	Indirect Nitrogen Benefits.	31
2.7.4.1	Conservation of Soil Nitrogen.	32
2.7.4.2	Increased Nitrogen Uptake from Non-Legume Sources.	33
2.7.5	Relative Contribution of Nitrogen and Non-Nitrogen Benefits.	34
2.8	Controlled-Release Fertilizers.	35
2.8.1	Use of Controlled-Release Urea in Field Crop Production.	36
2.9	Protein Content.	37
2.9.1	Relationship Between Yield and Protein Content.	37
2.9.2	Translocation of Nitrogen and Carbohydrates to the Grain.	39
2.9.3	Effect of Fertilizer Nitrogen Application Rate on Protein Content.	40
2.9.4	Effect of Soil Moisture on Protein Content.	41
2.9.4.1	Effect of Timing of Moisture Stress on Protein Content.	42
2.9.5	Effect of Temperature on Protein Content.	43
2.9.6	Effect of Fertilizer Nitrogen Source and Timing on Protein Content.	43
2.9.6.1	Effect of Delayed Fertilizer Nitrogen Application on Protein Content.	45
2.10	Influence of Protein Content on End-Use Quality.	46
2.10.1	Effect of Protein Content on Flour Water Absorption.	47
2.10.2	Effect of Protein Content on the Rheological Properties of Dough.	48
2.10.3	Effect of Protein Content on Loaf Volume.	49
2.11	Protein Quality.	50
2.12	Protein Classification and Nomenclature.	50
2.12.1	Albumin and Globulin Fraction.	52
2.12.2	Characterization of Gliadin.	52
2.12.3	Characterization of Glutenin.	53
2.13	Effects of Individual Protein Fractions on Dough Rheological Properties.	55
2.13.1	Effect of Gliadin on Dough Rheological Properties.	55
2.13.1.1	Effect of Individual Gliadin Fractions on Dough Rheological Properties	56
2.13.2	Effect of Glutenin on Dough Rheological Properties.	56
2.13.2.1	Contribution of HMW-GS and LMW-GS to Dough Rheological Properties.	57
2.13.2.2	Effect of Average Polymer Size on Dough Rheological Properties.	58
2.14	Effects of Individual Protein Fractions on Loaf Volume.	59
2.14.1	Effect of Gliadin on Loaf Volume.	59
2.14.1.1	Effect of Individual Gliadin Fractions on Loaf Volume.	60
2.14.2	Effect of Glutenin on Loaf Volume.	61
2.15	Effect of the Ratio of Gliadin to Glutenin on End-Use Quality.	62
2.16	Protein Accumulation in the Developing Grain.	63
2.16.1	General Pattern of Protein Accumulation.	64
2.16.2	Accumulation of Albumin/Globulin Fraction.	65

2.16.3	Accumulation of Gliadin.	65
2.16.3.1	Accumulation of Individual Gliadin Fractions.	66
2.16.4	Accumulation of Glutenin.	66
2.16.4.1	Synthesis of LMW and HMW Glutenin Subunits.	67
2.16.4.2	Polymerization of Glutenin.	68
2.17	Modification of Protein Composition by Environment and Fertilization.	69
2.17.1	Contribution of Genotype and Environment to Protein Quality.	69
2.17.2	Effect of Increasing Nitrogen Supply on Gliadin Content and Composition.	70
2.17.3	Effect of Increasing Nitrogen Supply on Glutenin Content and Composition	71
2.17.4	Effect of Sulphur Fertility on Protein Composition.	72
2.17.5	Effect of Temperature Stress on Gliadin Composition.	73
2.17.6	Effect of Environment on Glutenin Polymerization.	74
3.0	THE EFFECT OF CROP ROTATION AND FERTILIZER N SOURCE ON SOIL NITROGEN STATUS AND NITROGEN ACCUMULATION OF CANADA WESTERN RED SPRING WHEAT.	77
3.1	Abstract.	77
3.2	Introduction.	78
3.3	Materials and Methods.	81
3.3.1	Field and Analytical Techniques.	83
3.3.2	Statistical Analysis.	87
3.4	Results and Discussion.	88
3.4.1	Soil Water Status During the Growing Season.	88
3.4.2	Soil N Status Prior to Planting.	90
3.4.3	Soil N Status at Anthesis.	93
3.4.4	Soil N Status at Harvest.	94
3.4.5	Evolution of Plant Recoverable N during the Growing Season.	97
3.4.6	Evolution of Apparent Net Mineralized N During the Growing Season.	98
3.4.7	Nitrogen Uptake and Partitioning.	101
3.4.7.1	General Pattern of N Uptake.	101
3.4.7.2	Effect of Previous Crop on N Accumulation Pattern.	106
3.4.7.3	Effect of Fertilizer N Source on N Accumulation Pattern.	107
3.4.8	Harvest Measurements.	110
3.5	Conclusions.	113
4.0	THE EFFECT OF CROP ROTATION AND FERTILIZER N SOURCE ON THE BREADMAKING QUALITY OF CANADA WESTERN RED SPRING WHEAT.	115
4.1	Abstract.	115
4.2	Introduction.	116
4.3	Materials and Methods.	118
4.3.1	Grain Analysis.	119
4.3.2	Milling.	119
4.3.3	Mixograph.	120

4.3.4	Micro-extension Test.	120
4.3.5	Farinograph Absorption and Baking.	121
4.3.6	Statistical Analysis.	121
4.4	Results and Discussion.	122
4.4.1	Effect of Agronomic Practices on Flour Protein Content.	125
4.4.2	Relationships among Quality Attributes.	128
4.4.3	Effect of Previous Crop and Fertilizer Nitrogen Source on End-Use Quality Across a Similar Range of Flour Protein Content.	131
4.5	Conclusions.	141
5.0	THE EFFECT OF NITROGEN MANAGEMENT PRACTICES ON THE PROTEIN COMPOSITION AND TECHNOLOGICAL QUALITY OF CANADA WESTERN RED SPRING WHEAT.	144
5.1	Abstract.	144
5.2	Introduction.	145
5.3	Materials and Methods.	147
5.3.1	Quality Testing	148
5.3.2	Statistical Analysis.	149
5.4	Results and Discussion.	150
5.4.1	Effect of Agronomic Practices on the Quantity of Individual Protein Fractions.	150
5.4.2	Relationships Among Flour Protein Content and Protein Composition Parameters.	157
5.4.3	Relationships Among Quality Attributes.	167
5.4.4	Effect of Previous Crop on End-Use Quality Across a Similar Range of Flour Protein Content.	170
5.5	Conclusions.	174
6.0	GENERAL DISCUSSION AND CONCLUSIONS	176
7.0	REFERENCES.	184
8.0	APPENDICES.	215
8.1	Appendix A – Meteorological Information and Select Agronomic Information for the Carman, Brandon, and Swift Current Experimental Sites.	215
8.2	Appendix B – Analysis of Variance, LSDs, and Contrasts for the Effects of Previous Crop and Fertilizer Nitrogen Treatments on Selected Measurements Associated with Dry Matter at the Carman, Brandon, and Swift Current Experimental Sites.	218
8.3	Appendix C – Analysis of Variance, LSDs, and Contrasts for the Effects of Previous Crop and Fertilizer Nitrogen Treatments on Tissue N Concentration at the Carman, Brandon, and Swift Current Experimental Sites.	249

8.4	Appendix D – Analysis of Variance, LSDs, and Contrasts for the Effects of Previous Crop and Fertilizer Nitrogen Treatments on Selected Measurements Associated with Plant N Yield at the Carman, Brandon, and Swift Current Experimental Sites. . . .	265
8.5	Appendix E – Analysis of Variance, LSDs, and Contrasts for the Effects of Previous Crop and Fertilizer Nitrogen Treatments on Soil NH ₄ -N and NO ₃ -N at the Carman, Brandon, and Swift Current Experimental Sites.	292
8.6	Appendix F – Analysis of Variance, LSDs, and Contrasts for the Effects of Previous Crop and Fertilizer Nitrogen Treatments on Soil Water Content at the Carman, Brandon, and Swift Current Experimental Sites.	326
8.7	Appendix G – Analysis of Variance, LSDs, and Contrasts for the Effects of Previous Crop and Fertilizer Nitrogen Treatments on Selected Harvest Measurements at the Carman, Brandon, and Swift Current Experimental Sites.	355
8.8	Appendix H – Analysis of Variance, LSDs, and Contrasts for the Effects of Previous Crop and Fertilizer Nitrogen Treatments on Selected Soil Nitrogen Budget Data at the Carman, Brandon, and Swift Current Experimental Sites.	363
8.9	Appendix I – Materials and Methods for the Swift Current Experimental Sites. . .	374
8.10	Appendix J – Materials and Methods for Selected Grain Quality Analyses. . .	376
8.11	Appendix K – Analysis of Variance, LSDs, and Contrasts for the Effects of Previous Crop and Fertilizer Nitrogen Treatments on Selected Grain And Flour Nitrogen and Sulphur Analyses at the Carman, Brandon, and Swift Current Experimental Sites.	383
8.12	Appendix L – Analysis of Variance, LSDs, and Contrasts for the Effects of Previous Crop and Fertilizer Nitrogen Treatments on General End-Use Quality Analyses at the Carman, Brandon, and Swift Current Experimental Sites.	398
8.13	Appendix M – Analysis of Variance, LSDs, and Contrasts for the Effects of Previous Crop and Fertilizer Nitrogen Treatments on Mixograph Analyses at the Carman, Brandon, and Swift Current Experimental Sites.	411
8.14	Appendix N – Analysis of Variance, LSDs, and Contrasts for the Effects of Previous Crop and Fertilizer Nitrogen Treatments on Micro-extension Test Analyses at the Carman, Brandon, and Swift Current Experimental Sites.	436
8.15	Appendix O – Analysis of Variance, LSDs, and Contrasts for the Effects of Previous Crop and Fertilizer Nitrogen Treatments on Baking Quality Analyses at the Carman, Brandon, and Swift Current Experimental Sites.	449
8.16	Appendix P – Analysis of Variance, LSDs, and Contrasts for the Effects of Previous Crop and Fertilizer Nitrogen Treatments on Protein Quality Analyses at the Carman, Brandon, and Swift Current Experimental Sites.	460
8.17	Appendix Q – Results of Correlation Analysis for the Carman, Brandon, and Swift Current Experimental Sites.	481
8.18	Appendix R – Plots of Select End-Use Quality Parameters versus Flour Protein Content for the Carman-00, Swift Current-00, Brandon-01, and Swift Current-01 Sites as Affected by Previous Crop.	487
8.19	Appendix S – Description of Sampling Methodology and Location of Immature Head Samples Collected at the Carman-00, Carman-01, Brandon-01, and Swift Current-01 Sites.	495

8.20 Appendix T – Scatterplots of Select End-Use Quality Parameters versus Select Protein Composition Parameters for the Carman-00, Swift Current-00, Carman-01, Brandon-01, and Swift Current-01 Sites. 496

ACKNOWLEDGMENTS

I would like to gratefully acknowledge the following individuals and institutions that helped make this thesis and research project possible.

Sincere thanks are due to the Canadian Wheat Board, which made it possible for me to return to the University of Manitoba to undertake my Master's Degree in the first place. The other major financial contributors to this project to whom thanks are also extended are the Agriculture and Agri-Food Canada Matching Industry Initiative (AAFC-MII), the Agri-Food Research Development Initiative (ARDI), and Agrium, Inc. Dr. Byron Irvine (Brandon Research Centre) deserves a great deal of credit for securing the funding that made this project possible. Dr. Brian McConkey of the Semiarid Prairie Agricultural Research Centre is also to be commended for joining onto the research project at short notice and for providing strong technical support.

Special thanks go to my advisor, Dr. Don Flaten for his keen interest in this research project, for treating me as an equal, and for making every effort to make this research the best product possible. His attention to detail and organizational skills made this a strong thesis from both an academic and practical standpoint.

Dr. Martin Entz is to be commended for getting this research project off the ground when research funds were scarce. His systems-oriented approach to research was key to the approach we took to this research program.

The involvement of Dr. Harry Sapirstein in the wheat end-use quality aspect of the research was greatly appreciated in terms of lab and labour resource allocation, input to the analytical approaches, and his openness to new ideas.

Without the love and support of my parents I could never have dreamed to getting to the point where I am today. My father instilled in me a strong work ethic, strong attention to detail, and a life-long love for agriculture that I live with and believe in to this day. I will be forever grateful for my mother's encouragement and strong commitment to education. This thesis is dedicated to her memory.

I want to thank my love, Nicole Rosevere, for her unyielding support in good times and bad, for understanding when hours were long and deadlines were short, and for loving me unconditionally. You truly make me a better person.

Finally, my highest and most sincere thanks are to God for giving me the strength and perseverance to see this research through to its conclusion.

LIST OF TABLES

Table	Page
3-1. Meteorological Data for the Experimental Sites.	83
3-2. Agronomic Information for the Experimental Sites	84
3-3. Physical and Chemical Soil Characteristics at the Experimental Sites.	85
3-4. Distribution of Estimated NO ₃ -N (kg ha ⁻¹) in the Soil Profile Prior to Planting as Affected by Previous Crop.	91
3-5. Recoverable N (kg ha ⁻¹) at Anthesis and Harvest at the Experimental Sites as Affected by Previous Crop and Fertilizer N Treatment.	98
3-6. Apparent Net Mineralized N During the Growing Season as Affected by Previous Crop	100
3-7. Pre-anthesis N uptake, Post-anthesis N uptake, and Per Cent N Uptake Post-Anthesis at the Experimental Sites as Affected by Previous Crop and Fertilizer N Treatment	105
3-8. Grain Yield, Protein Content (14% Moisture Basis), and N Yield (DM Basis) at the Experimental Sites as Affected by Previous Crop and Fertilizer N Treatment.	111
4-1. Meteorological Data for the Experimental Sites.	123
4-2. Selected Quality Attributes of the Experimental Sites.	124
4-3. Flour Protein Content (14% moisture basis) at the Manitoba Experimental Sites as Affected by Previous Crop and Fertilizer N Treatment.	126
4-4. Agronomic Information for the Experimental Sites.	127
4-5. Flour Protein Content (14% moisture basis) at the Swift Current Experimental Sites as Affected by Previous Crop and Fertilizer N Rate.	128
4-6. Coefficients of Correlation (<i>r</i>) for Selected Quality Attributes for the Pooled Dataset (n = 110).	130

4-7. Coefficients of Determination (r^2) of the Pooled Dataset for Flour Protein Content (FPC) and Selected Quality Attributes, as well as Degree of Significance for the Interaction between Previous Crop and FPC for the Pooled Dataset and the Pooled Dataset Excluding Swift Current-01 Data.	133
4-8. Coefficients of Determination (r^2) for Pooled Data from the Carman-00 and Brandon-01 Sites for Flour Protein Content (FPC) and Selected Quality Attributes, as well as Degree of Significance for the Interaction between Fertilizer N Source and FPC.	141
5-1. Effect of Previous Crop and N Fertilizer Treatment on Protein Composition at the Carman-00 Site.	151
5-2. Effect of Previous Crop and N Fertilizer Treatment on Protein Composition at the Swift Current-00 Site.	152
5-3. Effect of Previous Crop and N Fertilizer Treatment on Protein Composition at the Carman-01 Site.	153
5-4. Effect of Previous Crop and N Fertilizer Treatment on Protein Composition at the Brandon-01 Site.	154
5-5. Effect of Previous Crop and N Fertilizer Treatment on Protein Composition at the Swift Current-01 Site.	155
5-6. Coefficients of Correlation (r) among Selected Protein Composition Parameters for the Pooled Dataset ($n = 110$).	162
5-7 Summary of the Flour Protein Composition Characteristics of the Experimental Sites.	164
5-8. Coefficients of Correlation (r) between Selected Protein Composition Parameters and FPC for the Carman-00, Swift Current-00, Brandon-01, and Swift Current-01 Sites.	165
5-9. Coefficients of Correlation (r) among Selected Quality Attributes for the Pooled Dataset ($n = 110$).	168
5-10. Degree of Significance of the Interaction between Previous Crop and Protein Composition Parameters for Selected Quality Attributes.	171
5-11. Degree of Significance of the Interaction between Previous Crop and Protein Composition for Selected Protein Composition Parameters	173

LIST OF TABLES IN APPENDIX A

Table	Page
A-1. Mean Monthly Air Temperature at the Experimental Sites.	215
A-2. Mean Monthly Precipitation at the Experimental Sites.	215
A-3. Meteorological Data for the Swift Current Experimental Sites.	216
A-4. Agronomic Information for the Swift Current Experimental Sites.	216
A-5. Soil Physical and Chemical Characteristics at the Swift Current-01 Site.	217

LIST OF TABLES IN APPENDIX B

Table	Page
B-1. Dry Matter Yield of the Stem/leaf Fraction at Anthesis at the Carman-00, Carman-01, and Brandon-01 Sites.	219
B-2. Dry Matter Yield of the Stem/leaf Fraction 7 Days After Anthesis at the Carman-00, Carman-01, and Brandon-01 Sites.	220
B-3. Dry Matter Yield of the Stem/leaf Fraction 14 Days After Anthesis at the Carman-00, Carman-01, and Brandon-01 Sites.	221
B-4. Dry Matter Yield of the Stem/leaf Fraction 21 Days After Anthesis at the Carman-00, Carman-01, and Brandon-01 Sites.	222
B-5. Dry Matter Yield of the Stem/leaf Fraction 28 Days After Anthesis at the Carman-00, Carman-01, and Brandon-01 Sites.	223
B-6. Dry Matter Yield of the Stem/leaf Fraction 35 Days After Anthesis at the Carman-00, Carman-01, and Brandon-01 Sites.	224
B-7. Dry Matter Yield of the Stem/leaf Fraction at Various Sampling Dates at the Swift Current-01 Site.	225
B-8. Dry Matter Yield of the Head Fraction at Anthesis at the Carman-00, Carman-01, and Brandon-01 Sites.	226

B-9. Dry Matter Yield of the Head Fraction 7 Days After Anthesis at the Carman-00, Carman-01, and Brandon-01 Sites.	227
B-10. Dry Matter Yield of the Head Fraction 14 Days After Anthesis at the Carman-00, Carman-01, and Brandon-01 Sites.	228
B-11. Dry Matter Yield of the Head Fraction 21 Days After Anthesis at the Carman-00, Carman-01, and Brandon-01 Sites.	229
B-12. Dry Matter Yield of the Head Fraction 28 Days After Anthesis at the Carman-00, Carman-01, and Brandon-01 Sites.	230
B-13. Dry Matter Yield of the Head Fraction 35 Days After Anthesis at the Carman-00, Carman-01, and Brandon-01 Sites.	231
B-14. Dry Matter Yield of the Head Fraction at Various Sampling Dates at the Swift Current-01 Site.	232
B-15. Aboveground Plant Dry Matter Yield at the Flag Leaf Stage at the Carman-00, Carman-01, and Brandon-01 Sites.	233
B-16. Aboveground Plant Dry Matter Yield at Anthesis at the Carman-00, Carman-01, and Brandon-01 Sites.	234
B-17. Aboveground Plant Dry Matter Yield 7 Days After Anthesis at the Carman-00, Carman-01, and Brandon-01 Sites.	235
B-18. Aboveground Plant Dry Matter Yield 14 Days After Anthesis at the Carman-00, Carman-01, and Brandon-01 Sites.	236
B-19. Aboveground Plant Dry Matter Yield 21 Days After Anthesis at the Carman-00, Carman-01, and Brandon-01 Sites.	237
B-20. Aboveground Plant Dry Matter Yield 28 Days After Anthesis at the Carman-00, Carman-01, and Brandon-01 Sites.	238
B-21. Aboveground Plant Dry Matter Yield 35 Days After Anthesis at the Carman-00, Carman-01, and Brandon-01 Sites.	239
B-22. Aboveground Plant Dry Matter at various sampling dates at the Swift Current-01 Site.	240
B-23. Aboveground Plant Dry Matter Accumulation between Anthesis and 35 Days After Anthesis at the Carman-00, Carman-01, and Brandon-01 Sites.	241

B-24. Post-anthesis Aboveground Dry Matter Accumulation as a Percentage of Aboveground Dry Matter Yield 35 Days After Anthesis at the Carman-00, Carman-01, and Brandon-01 Sites.	242
B-25. Ratio of Head Dry Matter Yield to Aboveground Plant Dry Matter Yield 35 Days After Anthesis at the Carman-00, Carman-01, and Brandon-01 Sites.	243
B-26. Ratio of Head Dry Matter Yield to Stem/leaf Dry Matter Yield 35 Days After Anthesis at the Carman-00, Carman-01, and Brandon-01 Sites.	244
B-27. Average Head Mass 35 Days After Anthesis at the Carman-00, Carman-01, and Brandon-01 Sites.	245
B-28. Average Number of Heads per m ² 35 at the Carman-00, Carman-01, and Brandon-01 Sites.	246
B-29. Lodging Score (0-9) at the Carman-00, Carman-01, and Brandon-01 Sites. ...	247
B-30. Select Agronomic Data for the Swift Current-01 Site.	248

LIST OF TABLES IN APPENDIX C

Table	Page
C-1. Whole Plant Tissue N Concentration at the Flag Leaf Stage at the Carman-00, Carman-01, and Brandon-01 Sites.	250
C-2. Tissue N Concentration of the Stem/leaf Fraction at Anthesis at the Carman-00, Carman-01, and Brandon-01 Sites.	251
C-3. Tissue N Concentration of the Stem/leaf Fraction 7 Days After Anthesis at the Carman-00, Carman-01, and Brandon-01 Sites.	252
C-4. Tissue N Concentration of the Stem/leaf Fraction 14 Days After Anthesis at the Carman-00, Carman-01, and Brandon-01 Sites.	253
C-5. Tissue N Concentration of the Stem/leaf Fraction 21 Days After Anthesis at the Carman-00, Carman-01, and Brandon-01 Sites.	254
C-6. Tissue N Concentration of the Stem/leaf Fraction 28 Days After Anthesis at the Carman-00, Carman-01, and Brandon-01 Sites.	255

C-7. Tissue N Concentration of the Stem/leaf Fraction 35 Days After Anthesis at the Carman-00, Carman-01, and Brandon-01 Sites.	256
C-8. Tissue N Concentration of the Stem/leaf Fraction at Various Sampling Dates at the Swift Current-01 Site.	257
C-9. Tissue N Concentration of the Head Fraction at Anthesis at the Carman-00, Carman-01, and Brandon-01 Sites.	258
C-10. Tissue N Concentration of the Head Fraction 7 Days After Anthesis at the Carman-00, Carman-01, and Brandon-01 Sites.	259
C-11. Tissue N Concentration of the Head Fraction 14 Days After Anthesis at the Carman-00, Carman-01, and Brandon-01 Sites.	260
C-12. Tissue N Concentration of the Head Fraction 21 Days After Anthesis at the Carman-00, Carman-01, and Brandon-01 Sites.	261
C-13. Tissue N Concentration of the Head Fraction 28 Days After Anthesis at the Carman-00, Carman-01, and Brandon-01 Sites.	262
C-14. Tissue N Concentration of the Head Fraction 35 Days After Anthesis at the Carman-00, Carman-01, and Brandon-01 Sites.	263
C-15. Tissue N Concentration of the Head Fraction at Various Sampling Dates at the Swift Current-01 Site.	264

LIST OF TABLES IN APPENDIX D

Table	Page
D-1. N Yield of the Stem/leaf Fraction at Anthesis at the Carman-00, Carman-01, and Brandon-01 Sites.	266
D-2. N Yield of the Stem/leaf Fraction 7 Days After Anthesis at the Carman-00, Carman-01, and Brandon-01 Sites.	267
D-3. N Yield of the Stem/leaf Fraction 14 Days After Anthesis at the Carman-00, Carman-01, and Brandon-01 Sites.	268
D-4. N Yield of the Stem/leaf Fraction 21 Days After Anthesis at the Carman-00, Carman-01, and Brandon-01 Sites.	269

D-5. N Yield of the Stem/leaf Fraction 28 Days After Anthesis at the Carman-00, Carman-01, and Brandon-01 Sites	270
D-6. N Yield of the Stem/leaf Fraction 35 Days After Anthesis at the Carman-00, Carman-01, and Brandon-01 Sites	271
D-7. N Yield of the Stem/leaf Fraction at Various Sampling Dates at the Swift Current-01 Site.	272
D-8. N Yield of the Head Fraction at Anthesis at the Carman-00, Carman-01, and Brandon-01 Sites	273
D-9. N Yield of the Head Fraction 7 Days After Anthesis at the Carman-00, Carman-01, and Brandon-01 Sites	274
D-10. N Yield of the Head Fraction 14 Days After Anthesis at the Carman-00, Carman-01, and Brandon-01 Sites	275
D-11. N Yield of the Head Fraction 21 Days After Anthesis at the Carman-00, Carman-01, and Brandon-01 Sites	276
D-12. N Yield of the Head Fraction 28 Days After Anthesis at the Carman-00, Carman-01, and Brandon-01 Sites	277
D-13. N Yield of the Head Fraction 35 Days After Anthesis at the Carman-00, Carman-01, and Brandon-01 Sites	278
D-14. N Yield of the Stem/leaf Fraction at Various Sampling Dates at the Swift Current-01 Site.	279
D-15. Aboveground Plant N Yield at the Flag Leaf Stage at the Carman-00, Carman-01, and Brandon-01 Sites	280
D-16. Aboveground Plant N Yield at Anthesis at the Carman-00, Carman-01, and Brandon-01 Sites	281
D-17. Aboveground Plant N Yield 7 Days After Anthesis at the Carman-00, Carman-01, and Brandon-01 Sites	282
D-18. Aboveground Plant N Yield 14 Days After Anthesis at the Carman-00, Carman-01, and Brandon-01 Sites	283
D-19. Aboveground Plant N Yield 21 Days After Anthesis at the Carman-00, Carman-01, and Brandon-01 Sites	284

D-20. Aboveground Plant N Yield 28 Days After Anthesis at the Carman-00, Carman-01, and Brandon-01 Sites	285
D-21. Aboveground Plant N Yield 35 Days After Anthesis at the Carman-00, Carman-01, and Brandon-01 Sites	286
D-22. Aboveground Plant N Yield at Various Sampling Dates at the Swift Current-01 Site.	287
D-23. Aboveground Plant N Accumulated between 0 and 35 Days After Anthesis at the Carman-00, Carman-01, and Brandon-01 Sites.	288
D-24. Post-anthesis Aboveground N Accumulation as a Percentage of Aboveground Plant N Yield 35 Days After Anthesis at the Carman-00, Carman-01, and Brandon-01 Sites.	289
D-25. N Yield of the Head Fraction as a Percentage of Total Aboveground Plant N Yield 35 Days After Anthesis at the Carman-00, Carman-01, and Brandon-01 Sites.	290
D-26. Selected N Uptake Parameters at the Swift Current-01 Site.	291

LIST OF TABLES IN APPENDIX E

Table	Page
E-1. Distribution of Estimated $\text{NH}_4\text{-N}$ (kg ha^{-1}) in the Soil Profile Prior to Planting as Affected by Previous Crop.	293
E-2. Estimated Quantity of $\text{NH}_4\text{-N}$ in the 0-10 cm Depth at Anthesis at the Carman-00, Carman-01, and Brandon-01 Sites	294
E-3. Estimated Quantity of $\text{NH}_4\text{-N}$ in the 10-30 cm Depth at Anthesis at the Carman-00, Carman-01, and Brandon-01 Sites	295
E-4. Estimated Quantity of $\text{NH}_4\text{-N}$ in the 30-50 cm Depth at Anthesis at the Carman-00, Carman-01, and Brandon-01 Sites	296
E-5. Estimated Quantity of $\text{NH}_4\text{-N}$ in the 50-70 cm Depth at Anthesis at the Carman-00, Carman-01, and Brandon-01 Sites	297
E-6. Estimated Quantity of $\text{NH}_4\text{-N}$ in the 70-90 cm Depth at Anthesis at the Carman-00, Carman-01, and Brandon-01 Sites	298

E-7. Estimated Quantity of $\text{NH}_4\text{-N}$ in the 90-110 cm Depth at Anthesis at the Carman-00, Carman-01, and Brandon-01 Sites	299
E-8. Estimated Quantity of $\text{NH}_4\text{-N}$ in the 0-110 cm Depth at Anthesis at the Carman-00, Carman-01, and Brandon-01 Sites	300
E-9. Estimated Quantity of $\text{NH}_4\text{-N}$ at Anthesis at Various Soil Depths at the Swift Current-01 Site	301
E-10. Estimated Quantity of $\text{NO}_3\text{-N}$ in the 0-10 cm Depth at Anthesis at the Carman-00, Carman-01, and Brandon-01 Sites	302
E-11. Estimated Quantity of $\text{NO}_3\text{-N}$ in the 10-30 cm Depth at Anthesis at the Carman-00, Carman-01, and Brandon-01 Sites	303
E-12. Estimated Quantity of $\text{NO}_3\text{-N}$ in the 30-50 cm Depth at Anthesis at the Carman-00, Carman-01, and Brandon-01 Sites	304
E-13. Estimated Quantity of $\text{NO}_3\text{-N}$ in the 50-70 cm Depth at Anthesis at the Carman-00, Carman-01, and Brandon-01 Sites	305
E-14. Estimated Quantity of $\text{NO}_3\text{-N}$ in the 70-90 cm Depth at Anthesis at the Carman-00, Carman-01, and Brandon-01 Sites	306
E-15. Estimated Quantity of $\text{NO}_3\text{-N}$ in the 90-110 cm Depth at Anthesis at the Carman-00, Carman-01, and Brandon-01 Sites	307
E-16. Estimated Quantity of $\text{NO}_3\text{-N}$ in the 0-110 cm Depth at Anthesis at the Carman-00, Carman-01, and Brandon-01 Sites	308
E-17. Estimated Quantity of $\text{NO}_3\text{-N}$ at Anthesis at Various Soil Depths at the Swift Current-01 Site	309
E-18. Estimated Quantity of $\text{NH}_4\text{-N}$ in the 0-10 cm Depth at Harvest at the Carman-00, Carman-01, and Brandon-01 Sites	310
E-19. Estimated Quantity of $\text{NH}_4\text{-N}$ in the 10-30 cm Depth at Harvest at the Carman-00, Carman-01, and Brandon-01 Sites	311
E-20. Estimated Quantity of $\text{NH}_4\text{-N}$ in the 30-50 cm Depth at Harvest at the Carman-00, Carman-01, and Brandon-01 Sites	312
E-21. Estimated Quantity of $\text{NH}_4\text{-N}$ in the 50-70 cm Depth at Harvest at the Carman-00, Carman-01, and Brandon-01 Sites	313

E-22. Estimated Quantity of $\text{NH}_4\text{-N}$ in the 70-90 cm Depth at Harvest at the Carman-00, Carman-01, and Brandon-01 Sites	314
E-23. Estimated Quantity of $\text{NH}_4\text{-N}$ in the 90-110 cm Depth at Harvest at the Carman-00, Carman-01, and Brandon-01 Sites	315
E-24. Estimated Quantity of $\text{NH}_4\text{-N}$ in the 0-110 cm Depth at Harvest at the Carman-00, Carman-01, and Brandon-01 Sites	316
E-25. Estimated Quantity of $\text{NH}_4\text{-N}$ at Harvest at Various Soil Depths at the Swift Current-01 Site	317
E-26. Estimated Quantity of $\text{NO}_3\text{-N}$ in the 0-10 cm Depth at Harvest at the Carman-00, Carman-01, and Brandon-01 Sites	318
E-27. Estimated Quantity of $\text{NO}_3\text{-N}$ in the 10-30 cm Depth at Harvest at the Carman-00, Carman-01, and Brandon-01 Sites	319
E-28. Estimated Quantity of $\text{NO}_3\text{-N}$ in the 30-50 cm Depth at Harvest at the Carman-00, Carman-01, and Brandon-01 Sites	320
E-29. Estimated Quantity of $\text{NO}_3\text{-N}$ in the 50-70 cm Depth at Harvest at the Carman-00, Carman-01, and Brandon-01 Sites	321
E-30. Estimated Quantity of $\text{NO}_3\text{-N}$ in the 70-90 cm Depth at Harvest at the Carman-00, Carman-01, and Brandon-01 Sites	322
E-31. Estimated Quantity of $\text{NO}_3\text{-N}$ in the 90-110 cm Depth at Harvest at the Carman-00, Carman-01, and Brandon-01 Sites	323
E-32. Estimated Quantity of $\text{NO}_3\text{-N}$ in the 0-110 cm Depth at Harvest at the Carman-00, Carman-01, and Brandon-01 Sites	324
E-33. Estimated Quantity of $\text{NO}_3\text{-N}$ at Harvest at Various Soil Depths at the Swift Current-01 Site	325

LIST OF TABLES IN APPENDIX F

Table	Page
F-1. Volumetric Water Content of the 0-10 cm Depth at the Carman-00 Site.	327
F-2. Volumetric Water Content of the 10-30 cm Depth at the Carman-00 Site.	328

F-3. Volumetric Water Content of the 30-50 cm Depth at the Carman-00 Site.	329
F-4. Volumetric Water Content of the 50-70 cm Depth at the Carman-00 Site.	330
F-5. Volumetric Water Content of the 70-90 cm Depth at the Carman-00 Site.	331
F-6. Volumetric Water Content of the 90-110 cm Depth at the Carman-00 Site.	332
F-7. Total Soil Water Content in the 0-110 cm Depth at the Carman-00 Site.	333
F-8. Volumetric Water Content of the 0-10 cm Depth at the Carman-01 Site.	334
F-9. Volumetric Water Content of the 10-30 cm Depth at the Carman-01 Site.	335
F-10. Volumetric Water Content of the 30-50 cm Depth at the Carman-01 Site.	336
F-11. Volumetric Water Content of the 50-70 cm Depth at the Carman-01 Site.	337
F-12. Volumetric Water Content of the 70-90 cm Depth at the Carman-01 Site.	338
F-13. Volumetric Water Content of the 90-110 cm Depth at the Carman-01 Site.	339
F-14. Total Soil Water Content in the 0-110 cm Depth at the Carman-01 Site.	340
F-15. Volumetric Water Content of the 0-10 cm Depth at the Brandon-01 Site.	341
F-16. Volumetric Water Content of the 10-30 cm Depth at the Brandon -01 Site.	342
F-17. Volumetric Water Content of the 30-50 cm Depth at the Brandon -01 Site.	343
F-18. Volumetric Water Content of the 50-70 cm Depth at the Brandon -01 Site.	344
F-19. Volumetric Water Content of the 70-90 cm Depth at the Brandon -01 Site.	345
F-20. Volumetric Water Content of the 90-110 cm Depth at the Brandon -01 Site.	346
F-21. Total Soil Water Content in the 0-110 cm Depth at the Brandon -01 Site.	347
F-22. Volumetric Water Content of the 0-10 cm Depth at the Swift Current-01 Site.	348
F-23. Volumetric Water Content of the 10-30 cm Depth at the Swift Current-01 Site.	349
F-24. Volumetric Water Content of the 30-50 cm Depth at the Swift Current-01 Site.	350